Google scholar

ACM common warehouse model cwm entity rel [Search] Advanced Scholar Search

Scholar | Articles and patents | anytime | include citations | ☒ Create email alert   Results 1 - 11 of 11. (0.12 sec)

[PDF] Metadata management for heterogeneous information systems

[PDF] from uni-magdeburg.de

E Rahm - ... GI Workshop on Foundations of Database ..., 2003 - wwwiti.cs.uni-magdeburg.de
... **Common Warehouse Model** (**CWM**): Object Management Group (OMG), IBM, Oracle, Unisys, ...
E. Rahm 8 ... 14 Metadata Replication Control replication of metadata in **warehouse** tools /
repositories unavoidable ... How much semantics should be inherent to the concept of **Model**? ...
Related articles - View as HTML - All 4 versions

Ontology-Enabled **Database** Management Systems

[PDF] from pucrs.br

N Sarda - Ontologies, 2007 - Springer
... 20-6. The Information Architecture defines abstract (at base or **common** level) and domain-specific
application **models** ... These **models** use concepts like Class (**Entity**), Attributes (Property), and
Association (**Relationship**) at data modeling level ... We can translate the **model** in Fig. ...
Cited by 2 - Related articles - All 2 versions

An engineering process for developing Secure Data **Warehouses**

J Trujillo, E Soler, E Fernández-Medina... - Information and Software ..., 2009 - Elsevier
... The secure CIM **model** takes into account the work by [26], which is based on an extension
of the i * framework [53]. ... The Secure PSM corresponds with an extension of the **Common**
Warehouse Metamodel (**CWM**) at the logical level [48] and secure Code ...
Cited by 5 - Related articles - All 3 versions

[PDF] Metadata management and data warehousing

[PDF] from psu.edu

M Staudt, A Vaduva... - ... and Technology under grant KTI-3979.1, 2000 - Citeseer
... Usually, level 2 also includes **common** modeling languages like UML that, for example, may ...
standards and representative commercial solutions for metadata management in data **warehouse**
systems ... dictionaries are usually modeled and stored using the same data **model** as the ...
Cited by 25 - Related articles - View as HTML - All 3 versions

[PDF] FUZZY SPATIAL DATA CUBE CONSTRUCTION AND ITS USE IN ASSOCIATION RULE MINING

[PDF] from metu.edu.tr

N IsIK - 2005 - etd.lib.metu.edu.tr
... median, most frequent, and rank. 2.2.2 **Database** Design Methodology **Relational databases**
are easily designed by **entity relationship** diagrams and ... are provided in that interface. JOLAP
makes extensive use of the OMG **Common Warehouse Model** (**CWM**) [19]. Page 29. 17 ...
Related articles - View as HTML

[PDF] Modeling and Optimization of Extraction-Transformation-Loading (ETL) Processes in Data **Warehouse** Environments
[PDF] from psu.edu

A Simitsis - National Technical University of Athens: PhD Thesis, ..., 2004 - Citeseer
... OLAP techniques are used for a specialized style of querying that exploits the usual
(multi-)dimensional design of a data **warehouse**, and ... sources into a **common** format, ...
Page 21. 1.2 Data **Warehouse** Operational Processes 5 ...
Cited by 3 - Related articles - View as HTML - All 4 versions

Modeling and language support for the management of pattern-bases
[PDF] from psu.edu

M Terrovitis, P Vassiliadis, S Skiadopoulos... - Data & Knowledge ..., 2007 - Elsevier
... far, standardization efforts [4], [5] and [6] have focused towards providing a **common** format for ...
e) a thorough discussion and exemplification of the components of the Pattern **Warehouse**
throughout all ... Section 3 presents a general **model** for the coexistence of data and patterns. ...
Cited by 19 - Related articles - All 25 versions

A generic and customizable framework for the **design** of ETL scenarios
[PDF] from psu.edu

P Vassiliadis, A Simitsis, P Georgantas... - Information Systems, 2005 - Elsevier
... This **model** abstracts from the technicalities of monitoring, scheduling and logging while it
concentrates on the ... In the data **warehouse** context, it is **common** tactics to replace the keys of
the production ... Finally, we populate the data **warehouse** with the output of the previous activity ...
Cited by 56 - Related articles - All 12 versions

[PS] Metadata Management and Data Warehousing
[PS] from psu.edu

T Vetterli - Technischer Report - Citeseer
... Usually, level 2 also includes **common** modeling languages like UML that, for example, may ...
standards and representative commercial solutions for metadata management in data **warehouse**
systems ... dictionaries are usually modeled and stored using the same data **model** as the ...
Cited by 2 - Related articles - View as HTML

[BOOK] Real-time object uniform **design** methodology with UML

MD Bui... - 2007 - books.google.com
... 2.9.0.3 Transformations and bridges between **models** 45 3.2.0.1 Reuse of **Common** Core Package ...
into UML compatible Process **model** 203 5.3.2.1 Bubble process **model** of an ... declared in three
different contexts 265 5.5.3.1 **Relationship** between **Relationship**, Association, Link ...
Cited by 5 - Related articles - Library Search - All 4 versions

[PDF] Integriertes Metadatenmanagement für das Data Warehousing
[PDF] from unisg.ch

C Herrmann, BE HSG, CC DW, A Back, W Brenner... - verdi.unisg.ch
... Abkürzungsverzeichnis **ACM** Association of Computing Machinery API Application Programming
Interface ... CC DW2 Competence Center Data Warehousing 2 **CWM Common Warehouse**
Metamodel DB Datenbank ... DWH Data **Warehouse ER Entity Relationship** ...
Related articles - View as HTML - All 8 versions

✉ Create email alert

ACM common warehouse model cw [Search]

Go to Google Home - About Google - About Google Scholar

©2011 Google